

a2 -- Unfortunately, the vast majority of fuel dispensers already in existence include displays and associated input devices that are insufficient for supporting web-based interaction. Further, many of the fuel dispensers fail to include the necessary control electronics to readily support such interaction.--

In the Claims:

Please cancel claims 10 and 22-27, without prejudice.

Please amend claims 1, 13, 14, and 20 as follows:

- b1  
a3
1. (Once amended) A system for providing a multiple browser interface comprising:
- a) a plurality of displays with associated input devices; and
  - b) a display controller associated with said plurality of devices, said display controller comprising:
    - i) communication electronics for communicating with a server running a control application; and
    - ii) a control system associated with said communication electronics and adapted to:
      - 1) run browser applications for each of said plurality of displays;
      - 2) receive input from each of said input devices and provide the input to the control application; and
      - 3) receive instructions for said browser applications from the control application; and
- wherein said display controller further assigned one Internet Protocol (IP) address and each of the browser applications is assigned a unique port associated with the IP address.

- m  
a4
13. (Once amended) A system for providing a multiple browser interface comprising:
- a) a plurality of displays with associated input devices; and
  - b) a display controller associated with said plurality of devices, said display controller comprising:

51  
OK  
i) communication electronics for communicating with a server running a control application; and

ii) a control system associated with said communication electronics and adapted to:

- 1) run browser applications for each of said plurality of displays;
- 2) receive input from each of said input devices and provide the input to the control application; and
- 3) receive instructions for said browser applications from the control application; and

wherein said communication electronics are wireless communication electronics adapted to provide wireless communications with the server.

14. (Once amended) A method of supporting multiple browsers comprising:

running browser applications for each of a plurality of displays associated with input devices at a first location;

assigning one Internet Protocol address to a display controller associated with the plurality of displays;

assigning a unique port associated with the IP address to each of the browser applications;

receiving input from each of the input devices;

sending the input to a control application at a second location; and

receiving instructions for said browser applications from the control application.

20. (Once amended) A system for supporting a multiple browser controller comprising:

a) communication electronics for communicating with the multiple browser controller; and

b) a control system associated with said communication electronics and adapted to:

i) receive user input sent from the multiple browser controller; and

ii) send instructions for browser applications running on the multiple browser controller based on the input;

- B1  
OS
- iii) receive a request from one of the browser applications corresponding to the instructions; [and]  
iv) send content to the multiple browser controller for display by the one of the browser applications; and  
v) send a command to a printer peripheral associated with the browser application to print coupons.

Please add new claims 28-33 as follows:

- B1
- 28. The system of claim 13 wherein said plurality of displays and said display controller are associated with a kiosk.
29. The system of claim 13 further comprising a server remote from said display controller and adapted to run said control application.
30. The system of claim 29 wherein said server is further adapted to run a web server application configured to provide content to the browser applications of the display controller.
31. The system of claim 29 wherein said control application is adapted to provide certain of the instructions for a corresponding one of the browser applications based on events or instructions unrelated to the input.
32. The system of claim 13 wherein, for each of said browser applications, said control system is further adapted to:
- provide a request for content from a web server based on the instructions;
  - receive content in response to the request; and
  - display the content on a corresponding one of said plurality of displays.
33. The system of claim 13 wherein said input devices includes keys on at least one of said plurality of displays.--
- OS

Attached is a marked-up version of the amendments made to the application by the current response. The attachment is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE."